

CASES

VALISE CASES (V STYLE)

The valise style case is especially useful as spare parts kits, sales demonstration equipment, service kits and airline carry-on containers. Two latches are located on one side of the case opposite a heavy continuous hinge.

Standard V and H Style Cases are grey, textured ABS.

Valances are male/female heavy duty aluminum extrusion.



TOP HANDLE CASES (H STYLE)

Similar to a tool case the handle is mounted on the top surface of the case. The H style is ideal for equipment and small instruments which are normally carried and used in an upright position.



PARSONS
MANUFACTURING
CORPORATION

1055 O'Brien Drive, Menlo Park, CA 94025 (415) 324-4726
2511 N. Seaman Ave., S. El Monte, CA 91733 (213) 443-3277
3432 N.W. Yeon Avenue, Portland, OR 97210 (503) 224-1007




TWO HANDLE CARRY CASES (L STYLE)

The L style is a lighter version of the transit case and is often used for large sales demonstration equipment or field service kits. Cases are ABS Plastic and may be fiberglass reinforced for heavier equipment usage.

EXTENDED DEPTH CASES (XD STYLE)



Almost any size standard H style, L style or transit case can be supplied in an extended depth.



The XD style allows for design of shallow tops for rack mounting of instruments or deep tops and shallow bottoms for easier removal of equipment or to operate an instrument in a shallow bottom.

CASE MODIFICATIONS & ADDITIONS



All styles and sizes may be supplied with a hinged divider.

Cases may be supplied with instrument mounting brackets, stays or literature holders.



All cases may be supplied with take-a-part hinges for top removal

TRANSIT CASES

The Transit case is built for the safe transport of equipment. It is composed of extra thick high density Polyethylene shells and waterproof gasketed valances. Each latch is protected by a steel latch guard. All cases have positive stacking features.



WHEELED CASES

Any large case may become a wheeled container.



R Style

The R style recessed wheel case will assure airline baggage check in without removal of wheels. The telescoping handle locks in the extended position allowing the case to be pushed or pulled like a cart. When not in use the handle collapses and locks firmly against the case top. The two wheels are 2" in diameter.



S Style

The L style or transit case becomes our S style case by the addition of a third handle, two swivel casters and two ridged casters. The casters may be fixed or mounted with 1/4 turn fasteners for easy removal. Wheels are 3" in diameter.



LIGHT WEIGHT CASES

The light weight case is a trim line offspring of the Heavy Duty case. It serves as a highly attractive sales demonstration case, tool and repair kit case, or small instrument and equipment carrying case.

The light weight case is designed for economy but retains the rough handling resistant features of high grade ABS plastics, and radius bent closures.

Standard color is Black. Available with standard cushioning.

CUSTOM CASES AND SPECIAL APPLICATIONS



FOAM CUSHIONING The majority of Parsons cases are supplied with custom foam inserts from our complete foam fabrication facility. We produce several standard plastic holders or spacers for printed circuit boards which may be included in your design.





Your unique requirement becomes our challenge. Tooling costs for specially shaped cases are relatively inexpensive. The same holds true for specially molded plastic interiors. We can also offer custom color, textures, and hardware.

CASE SIZES

The length and width of each case mold is fixed. The depth of the top and bottom may vary to the customers requirements. The minimum and maximum depth of top and bottom is shown with each case size. For example, when ordering a case 13.6 in. long and 9.6 in. wide with a top depth of 4 in. and a bottom depth of 5 in. in the valise style, the part number becomes 1410V-4T-5B. (half-inch increments would be written 1410V-4.5T-5.5B)

Unless otherwise specified all Heavy Duty and Transit cases will be constructed with a continuous hinge.

All dimensions are interior dimension.



TOP HANDLE CASES (H STYLE)

9.1 × 7 in. (23.2 × 17.9 cm)	Max Case Depth 10 in. (25.4 cm)
Part No. 0907H	Min top & Bot Depth 1.5 in. (3.8 cm)
	Max Top & Bot Depth 5 in. (12.7 cm)

19.9 × 8.2 in. (42.5 × 34.9 cm)	Max Case Depth 11 in. (27.9 cm)
Part No. 1908H	Min Top & Bot Depth 3 in. (7.7 cm)
	Max Top & Bot Depth 5.5 in. (14.0 cm)

11.7 × 8.7 in. (29.7 × 22.1 cm)	Max Case Depth 10 in. (25.4 cm)
Part No. 1209H	Min Top & Bot Depth 3 in. (7.6 cm)
	Max Top & Bot Depth 5 in. (12.7 cm)

21.9 × 11.4 in. (53.2 × 29.1 cm)	Max Case Depth 11 in. (27.9 cm)
Part No. 2211H	Min Top & Bot Depth 3.0 in. (7.7 cm)
	Max Top & Bot Depth 5.5 in. (14.0 cm)

13.6 × 9.8 in. (35.5 × 24.9 cm)	Max Case Depth 12 in (30.5 cm)
Part No. 1410H	Min top & Bot Depth 3.5 in. (8.9 cm)
	Max Top & Bot Depth 6.0 in. (15.2 cm)

28.1 × 14.6 in. (71.3 × 37.2 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2815H	Min Top & Bot Depth 4.5 in. (11.4 cm)
	Max Top & Bot Depth 9.0 in. (22.9 cm)

17.2 × 11.7 in. (43.8 × 29.8 cm)	Max Case Depth 16 in. (40.7 cm)
Part No. 1712H	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 8 in. (20.3 cm)

26.8 × 10.9 in. (70.6 × 27.2 cm)	Max Case Depth 17 in. (43.2 cm)
Part No. 2711H	Size Top & Bottom 5.0 in. (12.7 cm)
	or 8.5 in. (21.6 cm)

VALISE STYLE CASES (V STYLE)

13.6 × 9.8 in. (34.5 × 24.9 cm) Part No. 1410V	Max Case Depth 12 in. (30.5 cm) Min Top & Bot Depth 3.5 in. (8.9 cm) Max. Top & Bot Depth 6 in. (15.2 cm)	23.1 × 21.1 in. (58.5 × 53.5 cm) Part No. 2321V	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)
17.2 × 11.7 in. (43.8 × 29.8 cm) Part No. 1712V	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)	24.6 × 19.1 in. (62.6 × 48.4 cm) Part No. 2519V	Max Case Depth 15 in. (38.1 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7.5 in. (19 cm)
16.7 × 13.7 in. (42.5 × 34.9 cm) Part No. 1714V	Max Case Depth 10 in. (25.4 cm) Min Top & Bot Depth 2.5 in. (6.4 cm) Max Top & Bot Depth 5 in. (12.7 cm)	25.6 × 25.1 in. (64.9 × 63.6 cm) Part No. 2625V	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.0 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)
19.5 × 13.8 in. (49.7 × 35.1 cm) Part No. 2014V	Max Case Depth 16 in. (40.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)	26.8 × 10.9 in. (70.6 × 27.2 cm) Part No. 2711V	Max Case Depth 17 in. (43.2 cm) Min Top & Bot Depth 5 in. (12.8 cm) Max Top & Bot Depth 8.5 in. (21.6 cm)
22.8 × 12.2 in. (57.9 × 31.1 cm) Part No. 2312V	Max Case Depth 12 in. (30.5 cm) Min Top & Bot Depth 2.5 in. (6.3 cm) Max Top & Bot Depth 6 in. (15.2 cm)	28.1 × 14.6 in. (71.3 × 37.2 cm) Part No. 2815V	Max Case Depth 18 in. (45.7 cm) Min Top & Bot Depth 4.5 in. (11.4 cm) Max Top & Bot Depth 9 in. (22.9 cm)
22.7 × 14.9 in. (57.3 × 38 cm) Part No. 2315V	Max Case Depth 13.5 in. (34.2 cm) Min Top & Bot Depth 3.5 in. (8.9 cm) Max Top & Bot Depth 6.75 in. (17.2 cm)	30.7 × 20.7 in. (78.1 × 52.3 cm) Part No. 3121	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)
21.9 × 11.4 in. (53.2 × 29.1 cm) Part No. 2211V	Max Case Depth 11 in. (27.9 cm) Min Top & Bot Depth 3 in. (7.7 cm) Max Top & Bot Depth 5.5 in. (14 cm)	34.6 × 23.8 in. (87.9 × 60.8 cm) Part No. 3524	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.0 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)
20.9 × 19 in. (53.2 × 48.2 cm) Part No. 2119V	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)	28.7 × 27.8 in. (73 × 70.7 cm) Part No. 2928	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.5 in. (11.4 cm) Max Top & Bot Depth 8 in. (20.3 cm) Limited Production

TWO HANDLE CARRY CASES (L STYLE)

20.9 × 19 in. (53.2 × 48.2 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 2119L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

25.6 × 25.1 (64.9 × 63.6 cm)	Max Case Depth 16 in. (40.7 cm)
Part No. 2625L	Min Top & Bot Depth 4.0 in. (10.2 cm)
	Max Top & Bot Depth 8 in. (20.3 cm)

23.1 × 21.1 in. (58.5 × 53.5 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 2321L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

30.7 × 20.7 in. (78.1 × 52.3 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 3121L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

24.6 × 19.1 in. (62.6 × 48.4 cm)	Max Case Depth 15 in. (38.1 cm)
Part No. 2519L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7.5 in. (19.0 cm)

34.6 × 23.8 in. (87.9 × 60.8 cm)	Max Case Depth 16 in. (40.7 cm)
Part No. 3524L	Min Top & Bot Depth 4.5 in. (11.4 cm)
	Max Top & Bot Depth 8 in. (20.3 cm)

TRANSIT CASE (T STYLE)

23 × 21 in. (58.4 × 53.3 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2321T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

25.5 × 25 in. (64.9 × 63.6 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2625T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

30.7 × 20.7 in. (78.1 × 52.7 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 3121T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

34.6 × 23.8 in. (87.9 × 60.5 cm)	Max Case Depth 18 in. (25.7 cm)
Part No. 3524T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

WHEELED CASES (R STYLE & S* STYLE)

23 × 21 in. (58.4 × 53.3 cm)	Max Case Depth 14 in. (35.5 cm)
Part No. 2321	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 7 in. (17.8 cm)
	Transit Case may be specified

25.5 × 25 in. (64.9 × 63.6 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2625	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 9 in. (22.9 cm)
	Transit Case may be specified

30.7 × 20.7 in. (78.1 × 52.7 cm)	Max Case Depth 14 in. (35.5 cm)
Part No. 3121	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 7 in. (17.8 cm)
	Transit Case may be specified

34.6 × 23.8 in. (87.9 × 60.5 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 3524	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 9 in. (22.9 cm)
	Transit Case may be specified

24.6 × 19 in. (62.6 × 48.4 cm)	Max Case Depth 15 in. (38.1 cm)
Part No. 2519S	Min Top & Bot Depth 4 in. (10.2 cm)
S Only	Max Top & Bot Depth 7.5 in. (19 cm)

*S style Min Top & Bottom 4.5 in. (11.4 cm)

To write part number for S style
with removable casters 2625S-6T-7B-RC

To write part number for S style
with fixed casters 2625S-6T-7B-FC

VALISE STYLE CASES (V STYLE)

13.6 × 9.8 in. (34.5 × 24.9 cm) Part No. 1410V	Max Case Depth 12 in. (30.5 cm) Min Top & Bot Depth 3.5 in. (8.9 cm) Max. Top & Bot Depth 6 in. (15.2 cm)	23.1 × 21.1 in. (58.5 × 53.5 cm) Part No. 2321V	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)
17.2 × 11.7 in. (43.8 × 29.8 cm) Part No. 1712V	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)	24.6 × 19.1 in. (62.6 × 48.4 cm) Part No. 2519V	Max Case Depth 15 in. (38.1 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7.5 in. (19 cm)
16.7 × 13.7 in. (42.5 × 34.9 cm) Part No. 1714V	Max Case Depth 10 in. (25.4 cm) Min Top & Bot Depth 2.5 in. (6.4 cm) Max Top & Bot Depth 5 in. (12.7 cm)	25.6 × 25.1 in. (64.9 × 63.6 cm) Part No. 2625V	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.0 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)
19.5 × 13.8 in. (49.7 × 35.1 cm) Part No. 2014V	Max Case Depth 16 in. (40.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)	26.8 × 10.9 in. (70.6 × 27.2 cm) Part No. 2711V	Max Case Depth 17 in. (43.2 cm) Min Top & Bot Depth 5 in. (12.8 cm) Max Top & Bot Depth 8.5 in. (21.6 cm)
22.8 × 12.2 in. (57.9 × 31.1 cm) Part No. 2312V	Max Case Depth 12 in. (30.5 cm) Min Top & Bot Depth 2.5 in. (6.3 cm) Max Top & Bot Depth 6 in. (15.2 cm)	28.1 × 14.6 in. (71.3 × 37.2 cm) Part No. 2815V	Max Case Depth 18 in. (45.7 cm) Min Top & Bot Depth 4.5 in. (11.4 cm) Max Top & Bot Depth 9 in. (22.9 cm)
22.7 × 14.9 in. (57.3 × 38 cm) Part No. 2315V	Max Case Depth 13.5 in. (34.2 cm) Min Top & Bot Depth 3.5 in. (8.9 cm) Max Top & Bot Depth 6.75 in. (17.2 cm)	30.7 × 20.7 in. (78.1 × 52.3 cm) Part No. 3121	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)
21.9 × 11.4 in. (53.2 × 29.1 cm) Part No. 2211V	Max Case Depth 11 in. (27.9 cm) Min Top & Bot Depth 3 in. (7.7 cm) Max Top & Bot Depth 5.5 in. (14 cm)	34.6 × 23.8 in. (87.9 × 60.8 cm) Part No. 3524	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.0 in. (10.2 cm) Max Top & Bot Depth 8 in. (20.3 cm)
20.9 × 19 in. (53.2 × 48.2 cm) Part No. 2119V	Max Case Depth 14 in. (35.6 cm) Min Top & Bot Depth 4 in. (10.2 cm) Max Top & Bot Depth 7 in. (17.8 cm)	28.7 × 27.8 in. (73 × 70.7 cm) Part No. 2928	Max Case Depth 16 in. (40.7 cm) Min Top & Bot Depth 4.5 in. (11.4 cm) Max Top & Bot Depth 8 in. (20.3 cm) Limited Production

TWO HANDLE CARRY CASES (L STYLE)

20.9 × 19 in. (53.2 × 48.2 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 2119L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

25.6 × 25.1 (64.9 × 63.6 cm)	Max Case Depth 16 in. (40.7 cm)
Part No. 2625L	Min Top & Bot Depth 4.0 in. (10.2 cm)
	Max Top & Bot Depth 8 in. (20.3 cm)

23.1 × 21.1 in. (58.5 × 53.5 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 2321L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

30.7 × 20.7 in. (78.1 × 52.3 cm)	Max Case Depth 14 in. (35.6 cm)
Part No. 3121L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7 in. (17.8 cm)

24.6 × 19.1 in. (62.6 × 48.4 cm)	Max Case Depth 15 in. (38.1 cm)
Part No. 2519L	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 7.5 in. (19.0 cm)

34.6 × 23.8 in. (87.9 × 60.8 cm)	Max Case Depth 16 in. (40.7 cm)
Part No. 3524L	Min Top & Bot Depth 4.5 in. (11.4 cm)
	Max Top & Bot Depth 8 in. (20.3 cm)

TRANSIT CASE (T STYLE)

23 × 21 in. (58.4 × 53.3 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2321T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

25.5 × 25 in. (64.9 × 63.6 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2625T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

30.7 × 20.7 in. (78.1 × 52.7 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 3121T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

34.6 × 23.8 in. (87.9 × 60.5 cm)	Max Case Depth 18 in. (25.7 cm)
Part No. 3524T	Min Top & Bot Depth 4 in. (10.2 cm)
	Max Top & Bot Depth 9 in. (22.9 cm)

WHEELED CASES (R STYLE & S* STYLE)

23 × 21 in. (58.4 × 53.3 cm)	Max Case Depth 14 in. (35.5 cm)
Part No. 2321	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 7 in. (17.8 cm)
	Transit Case may be specified

25.5 × 25 in. (64.9 × 63.6 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 2625	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 9 in. (22.9 cm)
	Transit Case may be specified

30.7 × 20.7 in. (78.1 × 52.7 cm)	Max Case Depth 14 in. (35.5 cm)
Part No. 3121	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 7 in. (17.8 cm)
	Transit Case may be specified

34.6 × 23.8 in. (87.9 × 60.5 cm)	Max Case Depth 18 in. (45.7 cm)
Part No. 3524	Min Top & Bot Depth 4 in. (10.2 cm)
R or S	Max Top & Bot Depth 9 in. (22.9 cm)
	Transit Case may be specified

24.6 × 19 in. (62.6 × 48.4 cm)	Max Case Depth 15 in. (38.1 cm)
Part No. 2519S	Min Top & Bot Depth 4 in. (10.2 cm)
S Only	Max Top & Bot Depth 7.5 in. (19 cm)

*S style Min Top & Bottom 4.5 in. (11.4 cm)

To write part number for S style
with removable casters 2625S-6T-7B-RC

To write part number for S style
with fixed casters 2625S-6T-7B-FC


EXTENDED DEPTH CASES

All H style and L style cases may become Extended Depth cases. The maximum extended area is 12 in.

Requirement A: A 1714H case with a total depth of 16 in., with the handle placed on top. A 2 in. top depth, 5 in. bottom and extended area of 9 in. may be chosen. With latches on the top band the part number would become 1714H-2T-14B-9XD.

Requirement B: A 2119L case requires a total depth of 20 in. A 5 in. top and bottom depth may be chosen with an extended area of 8 in. With latches on the top band the part number would be 2119-5T-15B-8XD, with latches on the bottom band the part number would be 2119-15T-5B-8XD.

All transit cases may become Extended Depth cases. The maximum extended area is 8 in. The part number is written with a "T" instead of a "H" or a "L".



LIGHT WEIGHT STANDARD CASES

P/N	LENGTH		WIDTH		DEPTH TOP		DEPTH BOTTOM	
	(in.)	(cm)	(in.)	(cm)	(in.)	(cm)	(in.)	(cm)
0907	9.1	23.0	7.0	17.8	1.5-3.5	3.8-8.9	1.5-3.5	3.8-8.9
1007	10.1	26.2	7.1	17.9	2.5	6.3	2.5	6.3
1410	13.8	35.1	9.8	24.9	2-4	5.1-10.2	2.4	5.1-10.2
1714	17.0	43.2	14.1	35.8	2-4	5.1-10.2	2-4	5.1-10.2
2009	20.1	50.9	8.9	22.2	2-4	5.1-10.2	2-4	5.1-10.2
2012.5	20.1	50.9	12.5	31.7	2-3.5	5.1-8.9	2-3.5	5.1-8.9
2014	20.1	50.9	14.2	36.0	2-4	5.1-10.2	2-4	5.1-10.2
2018	19.1	50.5	17.9	45.4	2.5-3.5	6.3-8.9	2.5-3.5	6.3-8.9
2112	20.9	53.2	12.0	30.5	2-4	5.1-10.2	2-4	5.1-10.2
2711	26.8	67.9	10.8	27.3	3.5	8.9	3.5	8.9
2312	22.8	57.2	12.25	31.1	2.5-4.0	6.3-10.2	2.5-4.0	6.3-10.2

Sizes stocked for immediate shipment:

1410LW-2T-3B	1714LW-2T-3B
2014LW-2.5T-3.7B	2112LW-2.7T-4B

There is a Parsons Representative near you, call us for cases.



PARSONS
MANUFACTURING
CORPORATION

1055 O'Brien Drive, Menlo Park, CA 94025 (415) 324-4726
2511 N. Seaman Ave., S. El Monte, CA 91733 (213) 443-3277
3432 N.W. Yeon Avenue, Portland, OR 97210 (503) 224-1007

PARSONS//MANUFACTURING CORPORATION

1055 O'BRIEN DRIVE MENLO PARK, CALIFORNIA 94025

May 80

PARSONS STANDARD Carrying (airlines check-in) CASE

For

APPLE Computer and Two Disc Drives

case p/n = 2625-V 4"Top 4" Bottom

"CASE includes Foam Cushion Pads For Shock & Vibration Protection"

CASE PRICES = \$17¹/₃.50ea 16²/₃.00ea 14³/₅.50ea

Delivery 3 weeks A.R.O. & upon credit approval.

C.O.D. orders accepted with written orders.
Cash with orders or checks will expedite order processing

5/80



MANUFACTURERS & DISTRIBUTORS OF MOLDED PLASTICS, CUSHIONING MATERIALS AND CONTAINERS